

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	(380/37.ccls. 380/28.ccls. 380/286.ccls.) and @ad<"20001012" and @pd>"20050713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:20
S1	21	phillip.in. and rogaway.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:08
S2	10	virgil.in. and gligor.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:06
S3	21	phillip.in. and rogaway.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:04
S4	16	S3 and @ad<"20001012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:04
S5	5	S2 and @ad<"20001012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:04
S6	15	charanjit.in. and jutla.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:06
S8	52750	international.asn. and business.asn. and machines.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:25

S9	46354	ibm.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:25
S10	105	(S8 or S9) and block adj cipher\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:28
S11	1048	(S8 or S9) and @ad<"20000416" and @ad>"20000412"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:29
S12	1021	(S8 or S9) and @ad<"20000415" and @ad>"20000413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:30
S13	0	S12 and Jutla	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:30
S14	1	S12 and cipher	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:32
S15	259	S12 and block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:32
S16	1	S15 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:33

S17	21	(S8 or S9) and jutla	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:33
S18	2	"20010033656".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:33
S19	0	S18 and tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 09:33
S20	2	"20010033656".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:33
S21	2	S20 and pad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 10:55
S22	0	S20 and (grey or gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:37
S23	0	S20 and checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:37
S24	2	S3 and (gray or gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:24

S25	2	S3 and (gray or grey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:35
S26	414	380/37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:35
S27	268	S26 and @ad<"20001012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 12:35
S28	111	S27 and block\$2 near cipher\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:55
S29	2	S28 and (grey or gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:20
S30	4117	(grey or gray) adj cod\$3 and @ad<"20001012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:29
S31	9	S30 and cryptography	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:22
S32	208	S30 and (gray or grey) same offset\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:22

S33	7	S30 and (gray or grey) near offset\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:22
S34	62	S30 and ("380"/\$.ccls. or "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:29
S35	79	pad same length and @ad<"20001012" and cipher\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:56
S36	0	pad same length and @ad<"20001012" same cipher\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 13:56
S37	16	S3 and @ad<"20001012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:08
S38	949	380/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 07:29
S39	540	S38 and @ad<"20001012" and block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 07:30
S40	86	S39 and block near cipher\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 07:34

S41	183	380/286.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 07:34
S42	9	S41 and @ad<"20001012" and encrypt\$4 and block near cipher\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 07:34
S43	0	(ntz or trailing adj zeroes) and @ad<"20001012" and block near cipher\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 09:12
S44	2	"20020071552".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 09:12
S45	0	S44 and pass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 13:14
S46	5252	offset\$2 near generat\$4 and @ad<"20001012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 13:15
S47	1275	S46 and offset\$2 same zero\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 13:16
S48	29	S47 and offset\$2 near (prior or previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 13:16

S50	2	"20020071552".pn. and offset\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:28
S51	2	"20020071552".pn. and offset\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:28
S52	1	S51 and pad\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 19:35
S53	14	(380/37.ccls. 380/28.ccls. 380/286. ccls.) and @ad<"20001012" and @pd>"20050329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:20